

MCGANN HOSPITAL, SHIMOGA.

Abstract Notification.

The attention of the public is invited to the detailed notification, calling for tenders for the supply of Diet articles, etc., required for the McGann Hospital, Shimoga, including Maternity for the year 1940, published in pages 2151-2153, of Part VI of the *Mysore Gazette*, dated 26th October 1939.

V. V. MONTEIRO,

District Medical Officer.

MISCELLANEOUS DEPARTMENTS

OFFICE OF THE INSPECTOR-GENERAL OF POLICE IN MYSORE, BANGALORE.

Notice No. T. C. 295—37-38, dated 19th November 1937.

The public are hereby informed that an Avery's Weigh-bridge to weigh motor vehicles is erected in the Office of the Inspector-General of Police in Mysore, Cenotaph Road, Bangalore City, and that motor vehicles brought for weighment will be weighed on payment of a fee of Rs. 10 for each weighment. A certificate of weighment will invariably be issued with each weighment so made.

F. A. HAMILTON,

Inspector-General of Police.

OFFICE OF THE PUBLICITY OFFICER TO THE GOVERNMENT OF MYSORE.

PRESS COMMUNIQUE.

Notification Camp Mysore, dated 24th October 1939.

VICTORIA RUPEES.

Representations have been made to Government at the Representative Assembly, Dasara Session, 1939, to the effect that misapprehension exists in regard to the acceptability of Victoria Rupees as legal tender, in spite of previous announcements explaining the position in this behalf. In a notification, dated 7th October, 1938, the Comptroller to Government, published for general information a *communique* that was issued by the Controller of Currency on 15th July 1937, which is reproduced below:—

"In accordance with a recent decision, Victoria Rupees are not ordinarily reissued from treasuries or from Banks which transact Government business, and these rupee are thus being gradually replaced by coins of more recent mintage. It is understood that in some districts this decision had led to a belief that Victoria Rupees are no longer legal tender. This belief is entirely erroneous. Victoria Rupees are exchangeable at their full face value and there is no intention of altering the existing position in this respect.—(Sd.) M. VIRARAJA URS,

Offg. Comptroller."

It may be reiterated that these Rupees still continue to be legal tender and are exchangeable at their full face value in any Treasury in the State and will be freely accepted in payment of Government dues by Offices, Government Institutions, Municipalities, Commercial and other quasi-Government Institutions, etc., etc., subject only to the provisions of the Indian Coinage Act, viz., that the coins are not otherwise defective, sweated or counterfeit or too much diminished in standard weight.

The public need, therefore, have no apprehensions in freely accepting these coins at their face value.

S. RANGA IYER,

Publicity Officer to Government.

GOVERNMENT OF MYSORE—ELECTRICAL DEPARTMENT.

OFFICE OF THE CHIEF ELECTRICAL ENGINEER IN MYSORE, BANGALORE.

Abstract Notification, dated 11th October, 1939.

SUPPLY OF STATIONERY ARTICLES.

Attention is drawn to this office notification dated 11th October 1939, inviting tenders for the above work, published in Part VI, pages 2159 to 2161 of the *Mysore Gazette*, dated 26th October 1939. The last date of receiving tenders is 17th November 1939.

Abstract Notification E. N. 13, dated 24th October 1939.

HARDWARE MATERIALS.

Attention is drawn to this office notification dated 24th October 1939, inviting tenders for the above work, published in Part VI, pages 2193-2194 of the *Mysore Gazette*, dated 26th October 1939. The last date of receiving tenders is 10th November 1939, 12 NOON.

M. HAYATH,
Deputy Chief Electrical Engineer.

OFFICE OF THE SUPERINTENDENT, BANGALORE POWER AND LIGHTING, BANGALORE.

Abstract Notification.

PROVIDING ELECTRIC LIGHTS AND FANS IN THE GOVERNMENT MUSEUM, CUBBON PARK,
BANGALORE.

Attention is drawn to this office Notification dated 30th October 1939, inviting tenders for the above work, published in Part VI, page 2214, of the *Mysore Gazette*, dated 2nd November 1939. The last date of receiving tenders is 20th November 1939 and the earnest money required is Rs. 158 and Rs. 1,158 after acceptance of the tender.

C. R. GOWDA,
Superintendent.

OFFICE OF THE SUPERINTENDENT, POWER AND LIGHTING, KANKANHALLI.

Notification dated 31st October 1939.

1. Sealed tenders in triplicate will be received at the Office of the Superintendent, Power and Lighting, Kankanhalli, superscribed with the name of the work mentioned below.
2. Plans connected with the work may be seen at the Office of the undersigned at all working hours.
3. The tenders should be in the form of a statement as given below showing rates in figures and in words, at which the different items specified will be executed.
4. The tenders may be rejected or accepted in full or in part without any reasons being assigned therefor.
5. The materials to be used should be of the best English or American make and conform to the requirements of the Departmental rules, and latest British Standard A.I.E.E. specifications. Samples should be sent with tenders. When the samples are sent, mention should be made of manufacturers' or makers' catalogue. He should also be prepared to adopt any change in the location of control points and other outlets that might be suggested by the undersigned during the progress of the work without extra cost if the tender is not materially affected by such deviations.
6. The successful tenderer will be required to deposit an earnest money of Rs. 50 (rupees fifty only) and execute an agreement within a week from the date of intimation of acceptance of the tender.
7. The undersigned reserves the right also to reject the work either in full or in part if he finds the work not carried out in terms of the specifications or is otherwise dissatisfied with the workmanship.
8. *Name of work.*—Electrification of Settyhalli Railway Station and Platform.
9. *Last date for receiving tenders.*—30th November 1939.
10. *Date and time of opening the tenders in public.*—At 8 A.M. on 1st December 1939.
11. A period of two months will be allowed for final completion of the work with effect from the date of final acceptance of the tender.
12. It will be obligatory on the part of the tenderer executing the work to attend to any major troubles that might crop up due to bad workmanship, etc., during the first twelve months from the date of handing over the installation to this department without any return for services rendered.

DETAILS OF WORK.

Estimate of the probable cost of installing Ornamental Lights in the Platform, Latrine and Station premises at Settyhalli.

Serial No.	Names of materials, etc.	Unit	Approximate quantity
	PART I.—LIGHTING OF PLATFORM AND LATRINE.		
	Ornamental Lights.—Four.		
1.	Supplying and running mains in $\frac{5}{8}$ " braised conduit with necessary bends, etc., and wiring with No. 12 B. & S. insulated wire, 2,500 megohm grade from the outrigger conduit up to the cable junction box, Station Building and connections from the meter board	Ft.	30

Serial No.	Names of materials, etc.	Unit	Approximate quantity
2	Supplying and laying No. 12 B. & S. conductor, paper insulated, lead covered, underground cable suitable for 1,000 volt pressure in a trench 3 ft. deep, surrounding the same in 3" fine sand and enclosing ends of cable in indoor type C.I. junction box filled with insulating compound and connecting the same to feeder circuit	Ft.	300
3	Supplying and fixing on the meter board two 10 Amp. iron clad D.P. switches to control the ornamental lights	No.	2
4	Installing and wiring C.I. ornamental lamp posts on cement concrete foundation 2'x2'x2' with necessary bolts, lamp-holders, lamp leads, C.I. junction boxes (two and three-way) painting posts with aluminium paints and providing 230-volt, 115 watt. lamps. (The lamp posts, globes, canopy and fixture for taking in globe to be supplied by the Department)	"	4
5	Supplying and fixing 1½" G.I. pipe to enclose vertical run of cable on rail and providing a 60 watt. light near latrine complete with pole.	"	1
6	Grounding	L. S.	
7	Unforeseen works	"	
PART II.—LIGHTING OF STATION PREMISES (SIGNALLING ROOM AND OFFICES—3 PENDENTS, 3 BRACKETS, 2 DROPS AND 1 WATER TIGHT.)			
1	Supplying and fixing ½" conduit pipe using No. 14 B. & S. insulated wire with necessary round junction boxes, bends, etc., for lighting outlets	No.	9
2	Supplying and fixing ½" conduit pipe using No. 14 B. & S. insulated wire with necessary round junction boxes, bends, etc., for lighting outlets, for controlling switches using 5 Amp. bakelite switch	"	9
3	Supplying and fixing a T.W. meter board 15"×12" mounting one iron clad switch double pole and wiring the same with Nos. 12 and 14 B. & S. insulated wires and accessories	Set.	1
4	Supplying and running mains in ¾" brazed conduit using No. 12 B. & S. insulated wire from the Government pole up to the meter board with necessary bends and accessories	Ft.	25
5	Supplying, fixing and wiring :— (a) Bakelite ceiling rose 5 Amp. (b) S.C.C.G. holder bakelite reinforced (c) P.B. Bracket ¾" with holder (d) Flexible cord thick quality (e) Iron enamelled shades 10"×5" (f) Water-tight complete set (g) Lamps 60 watts, 230 volts, gas filled	No. " " Ft. No. Set No.	5 5 3 50 8 1 9
6	Masonry patching and colour washing	L. S.	
7	Grounding the mains and iron clad switch	"	

M. B. T. NARAYAN,
Superintendent.

OFFICE OF THE SUPERINTENDENT, POWER AND LIGHTING, MYSORE.

Abstract Notification dated 17th October 1939.

Attention of the public is invited to the detailed Notification of date, pertaining to the Installation of Ceiling Fans to the Assembly Hall at Jaganmohan Palace, Mysore, published on pages 2161 and 2162 of Part VI of the *Mysore Gazette*, dated 26th October 1939.

Notification dated 20th October 1939.

1. Sealed tenders in triplicate will be received at the office of the Superintendent, Power and Lighting, Mysore, superscribed with the name of the work noted below.

2. A sum of Rs. 35 is required to be sent along with the tender in cash or currency being the earnest deposit. Tenders not accompanied with the said deposit will not be accepted.

3. The plans connected with the work may be seen at the office of the undersigned at all working hours. The same will be made available on payment of Rs. 3 per set.

4. The tenders should be drawn up strictly in conformity with the specifications furnished writing out the rate at which each item of work will be executed in figures as well as in words, failing which no cognisance will be taken of the tender. No items other than those noted in the statement should be included, as the items cover provision for all sundries that are necessary for the execution of the work to meet with the requirements of the department including necessary repairs, painting the exterior of the casing to suit the colour wash.

5. Materials to be used on the work should be of best quality conforming to the specification of this department and B.S. or A.E.E.E. specifications. Mention should also be made of the manufacture and the catalogue numbers of the materials offered. Teakwood planks to be used on the work should be free from knots, cracks and should be well seasoned. No planks less than 3" in width will be permitted to be used unless it is to make up the difference in size of the board required. Only lap joints should be adopted in all cases.

6. The undersigned reserves the right to reject the tenders without assigning any reason therefor.

7. The successful tenderer will be required to execute an agreement within two days from the date of communication of acceptance of the tender. He should send samples of all the materials required for the work mounted on a board and start the work after obtaining the approval of the undersigned with regard to the same within a week, from the date of communication of acceptance. Failure to adhere to the conditions above will entail forfeiture of the earnest deposit and adoption of such measures as are necessary for expediting the work otherwise entirely at his risk. He should also bind himself to execute the work strictly adhering to the wiring rules of this Department as well as those of I.E.E. He should also be prepared to adopt changes in the location of lighting fixtures, control points, etc., that might be desired by the undersigned during the progress of the work without any obligation, if the tender is not materially affected thereby. It should also be noted that control switches, wall plugs, etc., should be grouped wherever necessary and located as far as possible in inconspicuous places.

8. The undersigned reserves the right to reject the work either in full or in part if the same is not executed according to above specifications or is not satisfactory as regards workmanship.

9. *Name of the work.*—Installing Electric Lights, etc., to the Taluk Office at Krishnarajanagara.

10. *Last date and time of receiving the tender.*—16th November 1939, at 3 P.M.

11. *Last date and time for opening the tender in public.*—16th November 1939, at 4 P.M.

12. A period of eight weeks from the date of acceptance of tender will be allowed for the completion of the work in all respects. If the installation is not handed over to the Department with service on the due date, the Department will arrange to take charge of the installation at whatever stage it might be and arrange for completion of the work through any other agency, at the risk of the tenderer.

13. The firm executing the work should arrange while handing over the installation to this Department to pass a certificate of guarantee for the continuance of satisfactory service to the installation for a period of 12 calendar months from the date of handing over charge to this Department while uninterrupted power supply is maintained. Further, it will be obligatory on the part of the firm to attend to any defects in the installation that might crop up during the above period without any return for service rendered.

14. *Details of work.*—The quantities given in the annexed statement are not guaranteed and are subject to variation at the time of executing the work.

Installing Electric Lights to the Taluk Office at Krishnarajanagara.

No.	Names of the materials	Unit	Quantity	Rate	Amount
	PART I. MAINS AND DISTRIBUTION BOARD.			Rs.	Rs.
1.	Supplying and running mains in $\frac{3}{4}$ " W.I. Pipe with elbows, bends and clamps, etc., using No. 7/044 S.W.G. insulated wire and accessories	Ft.	45		
2.	Supplying, fixing and wiring T.W. board $24 \times 18 \times 1$ " with batten 2×1 " and rear board $\frac{1}{2}$ " equipping it with a 30 Amp. D.P.S.T. Iron clad switch with fuses one 3-way 10 Amps. per-way D.P.H.O. pattern distribution box in T.W. case, with 10 Amps. circuit switches using No. 7/044 and 7/029 S.W.G. insulated wire and accessories	No.	1		
3.	Earthing the Main Pipe, etc.	Item			

No.	Names of the materials	Unit	Quantity	Rate	Amount
PART II. INTERIOR.					
1	Supplying, fixing and wiring in T.W. 2"×1" two-way casing treated with two coats of shellac varnish for lighting outlets complete with 5 Amps. S.P. control switches with reinforced bakelite cover using No. 7/.029 and 3/.036 SWG. insulated wire for mains and taps respectively with necessary accessories	No.	30		
2	Do do for wall plug outlets complete with 5 Amps. 2 Pin wall plug combined with switch and nipple as per specification above	"	1		
3	Supplying, fixing and wiring drop lights complete with two plate bakelite ceiling rose, flexible cord B.C.C.G. lamp holder (reinforced bakelite) 10"×5" white opal shades using necessary accessories	"	21		
4	Do do O.C. brackets 6"×1½" complete with O.C.B.C. lamp-holder 10"×5" white opal shade, etc., as above	"	4		
5	Do do B. C. lamp-holder with flange linked together with a nipple complete with 10"×5" green and white enamelled shade, etc., as above	"	2		
6	Do do counter weight pendants complete with two plate bakelite ceiling rose, flexible cord, China counter weight with ring pulley lead shots, B.C. lamp-holder (reinforced bakelite) 10"×5" white opal shades, etc., as above	"	2		
7	Do do for lighting fixtures, suspension type complete with two plate bakelite ceiling rose, 2' of O.C. chain nickel-plated metal canopy B.C. lamp-holder 10"×5" white opal glassware, flexible cord, etc., as above	"	1		
8	Supplying and fixing lamps (Mysore) 60 Watts, 220 V., B.C. gas filled	"	27		
9	Supplying and fixing lamps (Mysore) 100 Watts, 220 Volts, B.C. gas filled	"	2		

M. M. ALI KHAN,
Superintendent.

OFFICE OF THE SUPERINTENDENT, POWER AND LIGHTING, BHADRAVATI.

Abstract Notification.

The attention of the public is invited to the detailed notification, calling for tenders for installing electric lights to the Travellers' Bungalow at Harihar, published on pages 2163-2164, Part VI of the *Mysore Gazette*, dated 26th October 1939.

K. SUBBA RAO,
Superintendent.

GOVERNMENT HIGH SCHOOL, MALLESWARAM.

Notification No. 724 of 1939-40, dated 6th November 1939.

It is hereby notified for general information that an old bicycle will be sold by auction on Tuesday the 28th November 1939 at 4-45 P.M. in the school premises.

The article will be knocked down to the highest bidder who will pay the amount of the bid and remove it after the auction.

The decision of the officer in charge of the auction will be final in all questions that might arise.

S. SUNDARA,
Head Master.